

Prof. Dr. Anke Schmeink, Ehsan Zandi, Yulin Hu

## Tutorial 6

Monday, November 23, 2015

### Problem 1. (Channel capacity)

In section 4.2 the calculation of a capacity achieving input distribution  $\mathbf{p}$  for a discrete memoryless channel has been proven to be a convex optimization problem. The following channel matrices are given.

- $m_1 = d_1 = 2, \Pi_1 = \begin{bmatrix} 0.95 & 0.05 \\ 0.05 & 0.95 \end{bmatrix}$
- $m_2 = d_2 = 2, \Pi_2 = \begin{bmatrix} 0.80 & 0.20 \\ 0.05 & 0.95 \end{bmatrix}$
- $m_3 = d_3 = 4, \Pi_3 = \frac{1}{100} \begin{bmatrix} 90 & 4 & 4 & 2 \\ 2 & 76 & 20 & 2 \\ 2 & 20 & 76 & 2 \\ 2 & 4 & 4 & 90 \end{bmatrix}$

Tackle the following tasks by formulating and solving the optimization problems by means of the cvx-package in Matlab.

- a) What are the optimal input distributions?
- b) What are the channel capacities?
- c) What are the data rates in bits per symbol?

### Hints:

- You should download and extract cvx from <http://cvxr.com/cvx/>. Afterwards, you should execute `cvx_setup` in Matlab.
- A small cvx-example in Matlab is given below


```
cvx_begin
  variable p(m)
  maximize(sum(p))
  subject to
    p <= 1
cvx_end
```

- Matlab-variables may be used in the cvx-environment.

- You need to use the cvx-function **entr(X)** for calculating the entropy, because this function is known to be convex within cvx. **entr(X)** for a matrix is evaluated componentwise.

**Problem 2.** (Optimizing processor speed)

Consider the example for optimizing processor speed in section 4.2 of the lecture. Let



$$f(s) = s^2.$$

- Give the minimal completion times  $t_i^{\min}$  in dependence on the minimal processing times  $\tau_i^{\min}$ .
- Give the maximal interval for the energy restriction  $E_{\max}$  in dependence on the demand vector  $\Delta = (\alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6)$  in which the maximal completion time might change.

Let  $s_{\min} = 1$  (GHz),  $s_{\max} = 4$  (GHz),  $\Delta = (1, 1, 3, 2, 4, 5)$  the demand for processing each task and  $E_{\max} = 24$ .

- Determine the assignments of processor speeds and completion times by means of the cvx-package in Matlab.

**Hints:**

- You should download and extract cvx from <http://cvxr.com/cvx/>. Afterwards, you should execute `cvx_setup` in Matlab.
- A small cvx-example in Matlab is given below

```

cvx_begin
  variable p(m)
  maximize(sum(p))
  subject to
    p <= 1
cvx_end
  
```

- Matlab-variables may be used in the cvx-environment.
- In cvx `inv_pos(x) = 1/x`,  $x > 0$  is known to be convex.